

Bearing Designation			Weight	Shaft Diameter	Boundary Dimensions(mm)					Basic Load Rating(N)		Limiting Speed(rpm)
轴承型号					重量	轴径 (mm)	外形尺寸					额定负荷
Without IR	Weight	With IR	Kg	d			Fw	D	B	C	Dynamic	Static
无内圈	重量	有内圈			动	静					油润滑	
RNA7.8169	-	-	-	7.8	-	7.8	16	-	9	-	-	-
RNA8X19X9	-	-	-	7.8	-	8	19	-	9	-	-	-
RNA8X14X8	-	-	-	7.8	-	8	14	-	8	-	-	-
RNA496	-	-	-	7.8	-	8	15	-	10	-	-	-
RNA8X15X10TN	-	-	-	7.8	-	8	15	-	10	-	-	-
RNA4900	24.4	-	-	7.8	-	14	22	-	13	8500	9000	25000
RNA6900	29.1	-	-	7.8	-	14	22	-	22	12800	15600	25000
RNA152815	31.7	-	-	7.8	-	15	28	-	15	13600	17200	24000
RNA4901	16.6	-	-	7.8	-	16	24	-	13	6400	8900	15500
RNA6901	28.7	-	-	7.8	-	16	24	-	22	14000	18600	15500
RNA4902	20.5	-	-	7.8	-	20	28	-	13	11000	12900	12000
RNA6902	35.4	-	-	7.8	-	20	28	-	23	10800	12800	12000
RNA5902	-	-	-	7.8	-	20	28	-	18	-	-	-
RNA4903	20.7	-	-	7.8	-	22	30	-	13	12000	16800	16300
RNA5903	-	-	-	7.8	-	22	30	-	18	-	-	-
RNA6903	39.8	-	-	7.8	-	22	30	-	23	14000	19900	16300
RNA4904	50.8	-	-	7.8	-	25	37	-	17	11900	16500	15000
RNA6904	97.7	-	-	7.8	-	25	37	-	30	26000	43000	15000
RNA22/6 2RS	18	NA22/6 2RS	22	19	6	10	19	12	11.8	5000	4350	18000
RNA22/6 2RSX	18	NA22/6 2RSX	22	19	6	10	19	12	11.8	5000	4350	18000
RNA22/8 2RS	29	NA22/8 2RS	34	24	8	12	24	12	11.8	5500	5200	14000
RNA22/8 2RSX	29	NA22/6 2RSX	34	24	8	12	24	12	11.8	5500	5200	14000
RNA283833	99.8	-	-	28	-	28	38	-	33	33000	57000	12000
RNA69/22	-	-	-	28	-	28	39	-	30	-	-	-
RNA4905	57	-	-	28	-	30	42	-	17	23600	31500	14000
RNA6905	106.5	-	-	28	-	30	42	-	30	39000	59000	14000
RNA305225	-	-	-	28	-	30	52	-	25	-	-	-
RNA49/28	80	-	-	28	-	32	45	-	17	17400	30000	13000
RNA69/28	125	-	-	28	-	32	45	-	30	39500	61300	13000
RNA324527	-	-	-	28	-	32	45	-	27	-	-	-
RNA4906	62.8	-	-	28	-	35	47	-	17	17000	30500	12000
RNA6906	116	-	-	28	-	35	47	-	30	35000	67000	12000
RNA354527	-	-	-	28	-	35	45	-	27	-	-	-

RNA5906	108	-	-	28	-	35	47	-	23	-	-	-
RNA355730	-	-	-	28	-	35	57	-	30	-	-	-
RNA355734	-	-	-	28	-	35	57	-	34	-	-	-
RNA49/32	-	-	-	28	-	40	52	-	20	-	-	-
RNA69/32	147	-	-	28	-	40	52	-	36	25500	68500	8500
RNA405422	-	-	-	28	-	40	54	-	22	-	-	-
RNA40X55X20	-	-	-	28	-	40	55	-	20	-	-	-
RNA4907	99.3	-	-	28	-	42	55	-	20	19800	41500	8700
RNA5907	-	-	-	28	-	42	55	-	27	-	-	-
RNA6907	160	-	-	28	-	42	55	-	36	26000	60500	8700
RNA425622	-	-	-	28	-	42	56	-	22	-	-	-
RNA456227K	-	-	-	28	-	45	62	-	27	-	-	-
RNA2200 2RS	52	NA2200 2RS	60	30	10	14	30	14	13.8	7600	8100	11000
RNA2200 2RSX	52	NA2200 2RSX	60	30	10	14	30	14	13.8	7600	8100	11000
RNA2201 2RS	57	NA2201 2RS	67	32	12	16	32	14	13.8	8500	9700	9500
RNA2201 2RSX	57	NA2201 2RSX	67	32	12	16	32	14	13.8	8500	9700	9500
RNA2202 2RS	60	NA2202 2RS	75	35	15	20	35	14	13.8	9600	12000	7000
RNA2202 2RSX	60	NA2202 2RSX	75	35	15	20	35	14	13.8	9600	12000	7000
RNA2203 2RS	94	NA2203 2RS	112	40	17	22	40	16	15.8	12000	16500	6000
RNA2203 2RSX	94	NA2203 2RSX	112	40	17	22	40	16	15.8	12000	16500	6000
RNA2204 2RS	152	NA2204 2RS	177	47	20	25	47	18	17.8	18500	21900	4600
RNA2204 2RSX	152	NA2204 2RSX	177	47	20	25	47	18	17.8	18500	21900	4600
RNA4908	132	-	-	48	-	48	62	-	22	31000	63000	8120
RNA5908	225	-	-	48	-	48	62	-	30	31000	63000	8120
RNA6908	238	-	-	48	-	48	62	-	40	64000	112000	8120
RNA50/25	167	-	-	50	-	50	62	-	25	28000	67000	8140
RNA50/35	236	-	-	50	-	50	62	-	35	32000	70100	8140
RNA2205 2RS	179	NA2205 2RS	209	52	25	30	52	18	17.8	20100	26000	3500
RNA2205 2RSX	179	NA2205 2RSX	209	52	25	30	52	18	17.8	20100	26000	3500
RNA4909	163	-	-	52	-	52	68	-	22	37000	69500	7600
RNA5909	232	-	-	52	-	52	68	-	30	-	-	-
RNA6909	308	-	-	52	-	52	68	-	40	61500	123500	7600
RNA4910	161	-	-	58	-	58	72	-	22	41000	72000	7500
RNA6910	296	-	-	58	-	58	72	-	40	68000	135000	7500
RNA2206 2RS	284	NA2206 2RS	324	62	30	35	62	20	19.8	23000	28000	2800
RNA2206 2RSX	284	NA2206 2RSX	324	62	30	35	62	20	19.8	23000	28000	2800
RNA4911	241	-	-	63	-	63	80	-	25	50600	96580	7000
RNA6911	430	-	-	63	-	63	80	-	45	82560	172000	7000
RNA4912	257	-	-	68	-	68	85	-	25	52800	91050	7000

RNA5912	408	-	-	68	-	68	85	-	34	-	-	-
RNA6912	436	-	-	68	-	68	85	-	45	88500	186000	7000
RNA2207 2RS	432	NA2207 2RS	505	72	35	42	72	23	22.7	29800	46300	2200
RNA2207 2RSX	432	NA2207 2RSX	505	72	35	42	72	23	22.7	29800	46300	2200
RNA4913	300	-	-	72	-	72	90	-	25	57500	110500	6500
RNA6913	571	-	-	72	-	72	90	-	45	87600	194500	6500
RNA2208 2RS	530	NA2208 2RS	628	80	40	48	80	23	22.7	38200	57700	1700
RNA2208 2RSX	530	NA2208 2RSX	628	80	40	48	80	23	22.7	38200	57700	1700
RNA4914	400	-	-	80	-	80	100	-	30	79000	154000	5500
RNA6914	815	-	-	80	-	80	100	-	54	121000	263000	5500
RNA2209 2RS	545	NA2209 2RS	655	85	45	52	85	23	22.7	40300	63800	1600
RNA2209 2RSX	545	NA2209 2RSX	655	85	45	52	85	23	22.7	40300	63800	1600
RNA4915	472	-	-	85	-	85	105	-	30	82000	158000	5500
RNA5915	745	-	-	85	-	85	105	-	40	-	-	-
RNA6915	923	-	-	85	-	85	105	-	54	128000	272000	5500
RNA22010 2RS	563	NA22010 2RS	690	90	50	58	90	23	22.7	66000	86000	1300
RNA22010 2RSX	563	NA22010 2RSX	690	90	50	58	90	23	22.7	66000	86000	1300
RNA6X13X8TN	-	-	-	90	-	6	13	-	8	-	-	-
RNA4916	496	-	-	90	-	90	110	-	30	81000	170500	5000
RNA6916	978	-	-	90	-	90	110	-	54	130500	280600	5000
RNA4917	608	-	-	100	-	100	120	-	35	98000	207000	4600
RNA6917	1112	-	-	100	-	100	120	-	63	161000	337000	4600
RNA4918	713	-	-	105	-	105	125	-	35	98500	239000	4000
RNA6918	1250	-	-	105	-	105	125	-	63	174000	38000	4000
RNA4919	685	-	-	110	-	110	130	-	35	112000	245000	3870
RNA6919	1325	-	-	110	-	110	130	-	63	196000	400000	3870
RNA4920	1006	-	-	115	-	115	140	-	40	120000	264000	3700
RNA4922	1200	-	-	125	-	125	150	-	40	124000	270000	3300
RNA4924	1760	-	-	135	-	135	165	-	45	174000	386000	2900
RNA4928	2350	-	-	160	-	160	190	-	50	200000	460000	2900